

WHAT IS CLAIMED IS:

- 1 1. A method of producing and compressing a video signal, the method
2 comprising the steps of:
3 illuminating a video subject with a known lighting source having a
4 predetermined spectral band concentrated within a subset of a visible light spectrum;
5 recording said video subject to produce a video signal representative of said
6 illuminated video subject;
7 periodically in frequency eliminating color values from said video signal;
8 substantially eliminating from said video signal color values which fall
9 outside of said subset of the visible light spectrum; and
10 compressing said video signal.
- 1 2. The method of claim 1 wherein said visible light subset consists
2 essentially of colors having wavelengths within the region defined by 390-690 nm.
- 1 3. The method of claim 1 wherein said lighting source comprises a tri-
2 phosphor fluorescent lamp, and said visible light spectrum comprises three discrete
3 bands generally centered about red, green, and blue colors.
- 1 4. The method of claim 1 wherein said periodically eliminating step
2 comprises:
3 periodically removing color values from a predetermined high eye response
4 band of said video signal in order to decrease possible color values numbers within
5 said filtered video signal;
6 replacing a first range of color values in said video signal with first
7 replacement color values in order to decrease possible color value numbers within
8 said video signal.
- 1 5. The method of claim 4 wherein said compression step comprises lossy
2 MPEG compression.
- 1 6. A method of producing a compressed video signal comprising the steps
2 of:

3 illuminating a subject with a light source having a known spectral
4 distribution, said spectral distribution being concentrated within a subset of the
5 visible light spectrum;
6 capturing said video image to produce a video signal;
7 providing said video signal to a video compression processor;
8 programming said video compression processor to substantially not encode
9 color values which fall outside of said subset of the visible light spectrum.

1 7. The method of claim 6 wherein said visible light subset consists
2 essentially of colors having wavelengths within the region defined by 390-690 nm.

1 8. The method of claim 6 wherein said video compressor processor is an
2 MPEG encoder, and said programming step includes selecting appropriate color
3 value parameters for encoding said video signal.

1 9. A video encoder for encoding video images, comprising:
2 a processor; and
3 a program to be used by said processor, said program including a plurality of
4 color value parameters;
5 wherein said color value parameters are determined in accordance with
6 spectral output characteristics of a reduced spectrum lighting source.

1 10. The method of claim 9 wherein said processor is programmed to encode
2 a color band consisting essentially of 390-690 nm.

1 11. The video encoder of claim 9 wherein said processor is an
2 MPEG video processor, and said color value parameters include color wavelength
3 values.

1 12. The video encoder of claim 9 wherein said color value parameters are
2 chosen to provide substantial encoding for three bands of color centered about the
3 red, green, and blue wavelengths, and to substantially not encode discrete bands of

4 color between the red and green wavelengths, and between the green and blue
5 wavelengths.

1 13. The video encoder of claim 12 wherein said color value parameters are
2 further chosen to substantially not encode wavelengths below 390 nm, and to
3 substantially not encode wavelengths above 690 nm.